








**ARLON**

**SERIES 5000 / SERIES 4500**

**CALENDERED OPAQUE FILMS**




























# ► Series 5000 / Series 5050

## HIGH GLOSS CALENDERED FILM

 <b>168</b> Daisy Yellow	 <b>160</b> Bright Cardinal Red	 <b>137</b> Blueberry	 <b>108</b> Brown	 <b>103</b> Black
 <b>116</b> Lemon Yellow	 <b>173</b> Dark Red	 <b>193</b> Viking Blue	 <b>182</b> Beige	 <b>102</b> White
 <b>106</b> Yellow	 <b>112</b> Burgundy	 <b>130</b> Dark Blue	 <b>104</b> Gold Medal *	 <b>100</b> Clear
 <b>119</b> Light Orange	 <b>110</b> Purple	 <b>171</b> Teal	 <b>107</b> Silver *	
 <b>109</b> Orange	 <b>176</b> Dark Purple	 <b>164</b> Spring Green	 <b>150</b> Dark Gray	
 <b>114</b> Tomato Red	 <b>118</b> Olympic Blue	 <b>111</b> Green	 <b>140</b> Gray	
 <b>133</b> Fire Red	 <b>198</b> Medium Blue	 <b>135</b> Imperial Green	 <b>134</b> Cloud Gray	
 <b>101</b> Red	 <b>105</b> Blue	 <b>186</b> Forest Green	 <b>149</b> Light Gray	

# ► Series 4500 / Series 4550

## SATIN CALENDERED FILM

 <b>68</b> Daisy Yellow	 <b>31</b> Rose	 <b>71</b> Teal	 <b>07</b> Silver *
 <b>06</b> Yellow	 <b>10</b> Purple	 <b>60</b> Spring Green	 <b>34</b> Cloud Gray
 <b>09</b> Orange	 <b>36</b> Mission Blue	 <b>11</b> Green	 <b>03</b> Black †
 <b>33</b> Fire Red	 <b>05</b> Blue	 <b>61</b> Medium Green	 <b>40</b> Matte Black
 <b>01</b> Red †	 <b>37</b> Blueberry	 <b>35</b> Imperial Green	 <b>02</b> White †
 <b>12</b> Burgundy	 <b>50</b> Royal Blue	 <b>08</b> Brown	 <b>49</b> Matte White
 <b>32</b> Cotton Candy	 <b>30</b> Dark Blue	 <b>04</b> Gold Medal *	

### FOOTNOTE REFERENCE GUIDE

Arlon recommends that the user pre-test the vinyl on the substrate to be used. The surface must be cleaned according to the substrate manufacturer's specifications.

\* 4-year outdoor durability

† 60" (1,52m) by 50 yards (45,72m) rolls available in select colors only

### GUÍA DE REFERENCIA

Arlon recomienda que el usuario realice una prueba previa del vinilo en el sustrato/objeto a usar. La superficie deberá ser limpiada según instrucciones del fabricante del sustrato objeto.

\* Durabilidad al aire libre por 4 años

† 60" (1,52m) por 50 yardas (45,72m) disponible en ciertos colores solamente

## FEATURES

- Available in 35 colors
- Easy to handle 2.8-Mil (70 Micron) high gloss calendered film with permanent adhesive
- Up to 6-years outdoor durability
- Perforated available in 15" (0,38m) and 30" (0,76m) by 50 yards (45,72m)
- Non-Perforated available in 24" (0,61m), 30" (0,76m) and 48" (1,22m) by 50 yards (45,72m)

NOTE: Calendered films are recommended for flat and soft curved surfaces.

## CARACTERÍSTICAS

- Disponible en 35 colores
- Fácil de manipular 70 Micrones (2.8-Mil) vinilo calandrado de alto brillo con adhesivo permanente
- Hasta 6 años de durabilidad exterior
- Perforado disponible en 15" (0,38m) y 30" (0,76m) por 50 yardas (45,72m)
- Sin Perforación disponible en 24" (0,61m), 30" (0,76m) y 48" (1,22m) por 50 yardas (45,72m)

NOTA: Film calandrado es recomendado para superficies planas o con curvas leves.

For more information on Series 5000, click [here](#).



Series 5000

## FEATURES

- Available in 27 colors
- Easy to handle 3-Mil (75 Micron) satin calendered vinyl with permanent adhesive
- Up to 6-years outdoor durability
- Perforated available in 15" (0,38m) and 30" (0,76m) by 50 yards (45,72m)
- Non-Perforated available in 15" (0,38m), 24" (0,61m), 30" (0,76m), 48" (1,22m) and 60" (1,52m)\* by 50 yards (45,72m)

NOTE: Calendered films are recommended for flat and soft curved surfaces.

## CARACTERÍSTICAS

- Disponible en 27 colores
- Fácil de manipular 75 Micrones (3-Mil) vinilo calandrado satinado con adhesivo permanente
- Hasta 6 años de durabilidad exterior
- Perforado disponible en 15" (0,38m) y 30" (0,76m) por 50 yardas (45,72m)
- Sin Perforación disponible en 15" (0,38m), 24" (0,61m), 30" (0,76m), 48" (1,22m) y 60" (1,52m)\* por 50 yardas (45,72m)

NOTA: Film calandrado es recomendado para superficies planas o con curvas leves.

For more information on Series 4500, click [here](#).



Series 4500



